Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3129	257/516,528,533,536-538.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/05 09:13
L2	3127	347/54,56,61,62,64,67.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:13
L3	2757	347/200,204,206.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:14
L4	37728	(wire and (heater resist\$4)) with (layer) .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/05 09:14
L5	96	2 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:17
L6	42	5 and dop\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:17
L7	6	("4532530"   "4935752"   "5055859"   "5317341"   "5483736"   "5559543").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/05 09:25
L8	0	("6100910").URPN.	USPAT	OR	ON	2007/01/05 09:25
S1	2	"20040160486"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:44
S2	1	2004-511752.NRAN.	DERWENT	OR	ON	2005/11/15 15:43
53	34	(wire with heater) with dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:45
S4	2	S3 and ink\$3jet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:45
S5	35	(wire same heater) with dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:46

S6	1	S5 and (ink with jet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:45
S7	1	S3 and (ink with jet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:46
S8	43	(wire and heater) with dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:46
S9	366	(wire and heater) same dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:47
S10	63983	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/11/15 15:46
S11	51	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:15
S12	17	(wire and heater) same (dop\$3 with (resistor resistive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:47
S13	821	347/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:15
S14	311	347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:19
S15	264	wir\$3 with integrat\$3 with heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:16
S16	9	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:15
S17	20658	wir\$3 near4 heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:16

S18	193	S15 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:16
S19	12	S18 and dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:16
520	23163	heat\$3 with dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:19
S21	22	S14 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:19
S22	2768	347/54,56,61,62,64,67.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/01/05 07:24
S23	12345	(ion with implantation) same dopant	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/07/15 12:31
S24	19	S22 and S23	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/01/05 07:30
S25	6476	(wire and heater) with (layer pattern substrate)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/01/05 07:37
S26	42	S23 and S25	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/01/05 07:31
S27	18	S26 and (ink with jet)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/01/05 07:31
528	604	((ion with implantation) with dopant) same (wir\$3 lead connect\$3)	IBM_TDB  US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:33
S29	64573	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:33

		27.01 000.01 111000.7				
S30	11	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:36
S31	41	S23 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:36
532	3394	(wire with heater) with (layer pattern substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:37
533	· 11	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:37
S34	7	("4532530"   "4774530"   "4935752"   "4951063"   "5636441"   "5742307"   "Re32572").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/05 07:43
S35	0	S23 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:43
S36	5	(ion implantation dopant) and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:46
S37	13	("5636441").URPN.	USPAT	OR	ON	2006/01/05 07:46
S38	7	(ion implantation dopant) and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:47
S39	7745	(ion adj implantation) with dopant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:48
540	37	S29 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 07:48
S41	67063	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/14 12:10
S42	162	(heater resistor) with (wire and dop\$3 and area) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 12:11

543	4	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	ON	2006/07/14 12:11
S44	1144	((multiple plural\$3) near4 (wire lead)) with (heater termistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/14 12:12
S45	50	S41 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 12:14
S46	335	347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 12:14
S47	10	(ion with implantat\$3) and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 12:56
S48	2253	257/536-538.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:03
549	49	(wire and (heater)) with dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 12:56
S50	0	S48 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 12:56
S51	89993	(ion with implantat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:12
S52	295	S48 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 12:57
S53	520	(heater resistor) with (dop\$3 with area) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:05
S54	22	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:02

		LAST Scaren miscory				
S55	12	S41 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:02
S56	3054	257/516,528,533,536-538.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:03
S57	13	S41 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:04
S58	2	S51 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:04
S59	828	(heater thermal) with (dop\$3 with area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:05
S60	2	S48 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:05
S61	39	(ion with Implantat\$3) same ((plural43 multiple) with (resistance resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:13
S62	1	(ion with implantat\$3) same ((plural43 multiple) with (resistance resistor)) and heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/14 13:13
S63	7	("4021277"   "4196228"   "4225877"   "4510178"   "4520342"   "4597163"   "4682143").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/14 13:17
S64	16	("4759836").URPN.	USPAT	OR	ON	2006/07/14 13:18
S65	. 14	S64 and (ta tantalum metal)	USPAT	OR	ON	2006/07/14 13:19
S66	7	S64 and (ta tantalum)	USPAT	OR	ON	2006/07/14 13:19
S67	3054	257/516,528,533,536-538.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:30
S68	0	338/22.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:30
S69	2945	347/54,56,61,62,64,67.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:06

S70		S67 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:30
S71	. 34	(ion with implantat\$4) same ((segment array) with (heater resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:32
572	1	S67 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:32
573	399	(ion with implantat\$4) and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:32
S74	231	((change alter with value)) and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:33
S75	53	((change alter) with value) and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:35
S76	0	((micro with heater) same (ion with implantat\$3)) same plural\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:36
S77	21	((heater) same (ion with implantat\$3)) same plural\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:46
S78	13	((heater and wire) with pattern) and (ion with implantat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:51
S79	1	2004-511752.NRAN.	DERWENT	OR	ON	2006/07/15 12:51
580	1	2004-511752.NRAN.	DERWENT	OR	ON	2006/07/15 12:51
S81	56	(((heater resistor) and wire) with pattern) and (ion with implantat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 12:52
S82	43	S81 not 578	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:00

		•	•			
S83	3	(electric\$2 with (wire with heater)) same (ion with implantat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:01
S84	11	((electric\$2 with resistance) same (wire with heater)) and (Ion with implantat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:07
S85	335	347/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:06
S86	6278	resistance with wire with heater .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:06
S87	8	S85 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:06
588	11	(heater with pattern) same (ion with implantat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:32
S89	10	(Ion with implantat\$3) and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:31
S90	. 0	(heater with (pattern with dop\$3)) and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:33
S91		(heater with (pattern same dop\$3)) and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:33
S92	86	(heater with (pattern)) and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:33
S93	14	(heater with (pattern with resistance)) and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/15 13:33
S94	3116	347/54,56,61,62,64,67.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 13:40

,						
S95	69304	"347"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 13:40
S96	12871	((wire conductor) with (embed\$3 includ\$3)) same heater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 13:41
S97	70	S94 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 13:48
S98	124	(heater with dop\$3 with (level amount))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 13:48
S99	5	(heater with dop\$3 with (level amount)) same wire .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 13:49
S10 0	1	2001-621665.NRAN.	DERWENT	OR	ON	2006/12/29 15:21
S10 1	124	(heater with dop\$3 with (level amount))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 15:37
S10 2	3116	347/54,56,61,62,64,67.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 15:37
S10 3	69304	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 15:37
S10 4	61	S101 and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 15:40
S10 5	62	S101 and wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 15:46
S10 6	54	(wire near5 (heater resistor)) with dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 16:10

		27.01.000.01.11.000.1		<del>,</del>	· · · · · · · · · · · · · · · · · · ·	
510 7	1	S103 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 15:47
S10 8	. 86	(wire with (heater resistor)) with dop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 15:47
510 9	1	S103 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 15:47
S11 0	2	"6421816".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 16:01
S11 1	1	2004-511752.NRAN.	DERWENT	OR	ON	2006/12/29 16:07
S11 2	3565	(wire with (embed\$3 inside) with (heater resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 16:12
S11 3	33	S103 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 16:11
S11 4	4	(wire with (embed\$3 inside) with (heater resistor)) same dop\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/29 16:14
S11 5	487	((wire trace conductor) near4 (heater resistor)) same dop\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 16:18
S11 6	1	S102 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/29 16:19
S11 7	5	("4188417"   "4539228"   "4777494"   "4862197"   "5896241").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/29 16:17
S11 8	1011	((wire trace conductor) with (heater resistor)) same dop\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 16:21
S11 9	14	S103 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 16:19

		-				
S12 0	38	((wire trace conductor) with "within" with (heater resistor)) same dop\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 16:22
S12 1	34	("5587623").URPN.	USPAT	OR	ON	2006/12/29 16:32
S12 2	0	S121 and heater	USPAT	OR	ON	2006/12/29 16:33
S12 3	43	("3665241"   "3753022"   "3921102"   "3935500"   "3970887"   "3982147"   "3998678"   "4008412"   "4095133"   "4164680"   "4227883"   "4256532"   "4307507"   "4325000"   "4337115"   "4498952"   "4513308"   "4578614"   "4614564"   "4663559"   "4670090"   "4683024"   "4685996"   "4724328"   "4774433"   "4824795"   "4853545"   "4940916"   "4964946"   "4990766"   "5030895"   "5053673"   "5070282"   "5129850"   "5141459"   "5141460"   "5188977"   "5191217"   "5229331"   "5374868"   "5384509"   "5449435"	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/29 16:33
S12 4	24	S123 and heat\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/29 16:33
S12 5	3	"wire/resistance"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 15:08
S12 6	9	("4108713"   "5454680"   "5549433"   "5556490"   "5569012"   "5910263"   "6009924"   "6637996"   "6652210").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/04 15:01
S12 7	0	("2004/0160486").URPN.	USPAT	OR	ON	2007/01/04 15:02
S12 8	3360	347/62,64,200,204,206.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 09:13
S12 9	8	(wire near3 heater) and S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 15:03
S13 0	3	("4809428"   "4894664"   "6132032").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/04 15:06
S13	0	("7104633").URPN.	USPAT	OR	ON	2007/01/04 15:07
S13 2	3	"7104633".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 15:08
S13 3	1	2003-678035.NRAN.	DERWENT	OR	ON	2007/01/04 15:08